

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 1 of 14
Milperra website posted information		

Air Monitoring

13th MAY 2025

At Jamestrong Packaging Milperra, we undertake annual monitoring of air emissions as per the requirement in our EPA license.

Air emissions are monitored from 2 stacks by an independent NATA approved company.

The results of this monitoring are forwarded to the EPA annually.

License Details

EPA Licence No	20054
Licensee Name	JAMESTRONG PACKAGING AUSTRALIA PTY LTD
Premises Name	Jamestrong Packaging Metal - Milperra
Licensee Address	11 Amour Street, Milperra NSW 2214

Monitoring Frequency and Sampling Method

Pollutant	Units of Measure	Frequency	Sampling Method
Nitrogen Oxides	Milligrams per cubic metre	Yearly	TM-11
Total Solid Particles	Milligrams per cubic metre	Yearly	TM-15
Volatile Organic compounds	Milligrams per cubic metre	Yearly	TM-34

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 2 of 14
Milperra website posted information		

Results May 2025

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	26/02/25	26/02/25	26/03/25	1	1	98
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	26/02/25	26/02/25	26/03/25	1	1	13
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	26/02/25	26/02/25	26/03/25	1	1	0.099

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	26/02/25	26/02/25	26/03/25	1	1	<4
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	26/02/25	26/02/25	26/03/25	1	1	5.3
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	26/02/25	26/02/25	26/03/25	1	1	8.1

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 3 of 14
Milperra website posted information		

Results May 2024

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	26/03/24	26/03/24	18/04/24	1	1	130
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	26/03/24	26/03/24	18/04/24	1	1	2.5
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	26/03/24	26/03/24	18/04/24	1	1	2.3

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	26/03/24	26/03/24	18/04/24	1	1	10
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	26/03/24	26/03/24	18/04/24	1	1	<2
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	26/03/24	26/03/24	18/04/24	1	1	8.8

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 4 of 14
Milperra website posted information		

Results May 2023

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	03/04/23	03/04/23	05/05/23	1	1	93
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	03/04/23	03/04/23	05/05/23	1	1	3
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	03/04/23	03/04/23	05/05/23	1	1	0.09

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	03/04/23	03/04/23	05/05/23	1	1	<4
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	03/04/23	03/04/23	05/05/23	1	1	<3
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	03/04/23	03/04/23	05/05/23	1	1	34

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 5 of 14
Milperra website posted information		

Results May 2022

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	11/04/22	11/04/22	12/05/22	1	1	110
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	11/04/22	11/04/22	12/05/22	1	1	3.6
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	11/04/22	11/04/22	12/05/22	1	1	0.36

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	11/04/22	11/04/22	12/05/22	1	1	<4
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	11/04/22	11/04/22	12/05/22	1	1	3.4
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	11/04/22	11/04/22	12/05/22	1	1	25

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 6 of 14
Milperra website posted information		

Results May 2021

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	13/04/21	13/04/21	05/05/21	1	1	150
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	13/04/21	13/04/21	05/05/21	1	1	<2
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	13/04/21	13/04/21	05/05/21	1	1	1.2

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	13/04/21	13/04/21	05/05/21	1	1	19
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	13/04/21	13/04/21	05/05/21	1	1	<2
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	13/04/21	13/04/21	05/05/21	1	1	19

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 7 of 14
Milperra website posted information		

Results April 2020

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	15/04/20	15/05/20	11/05/20	1	1	150
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	15/04/20	15/04/20	11/05/20	1	1	<2
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	15/04/20	15/04/20	11/05/20	1	1	1.1

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	15/04/20	15/04/20	11/05/20	1	1	15
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	15/04/20	15/04/20	11/05/20	1	1	2.1
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	15/04/20	15/04/20	11/05/20	1	1	26

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 8 of 14
Milperra website posted information		

Results April 2019

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	12/03/19	12/03/19	10/04/19	1	1	100
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	12/03/19	12/03/19	10/04/19	1	1	3.9
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	12/03/19	12/03/19	10/04/19	1	1	0.042

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	12/03/19	12/03/19	10/04/19	1	1	<3
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	12/03/19	12/03/19	10/04/19	1	1	2.4
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	12/03/19	12/03/19	10/04/19	1	1	11

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 9 of 14
Milperra website posted information		

Results April 2018

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	05/03/18	05/03/18	05/04/18	1	1	110
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	05/03/18	05/03/18	05/04/18	1	1	<3
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	05/03/18	05/03/18	05/04/18	1	1	1.8

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	05/03/18	05/03/18	05/04/18	1	1	11
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	05/03/18	05/03/18	05/04/18	1	1	2.3
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	05/03/18	05/03/18	05/04/18	1	1	7.4

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 10 of 14
Milperra website posted information		

Results May 2017

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	13/04/17	13/04/17	05/05/17	1	1	130
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	13/04/17	13/04/17	05/05/17	1	1	2.6
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	13/04/17	13/04/17	05/05/17	1	1	1.1

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	13/04/17	13/04/17	05/05/17	1	1	11
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	13/04/17	13/04/17	05/05/17	1	1	3.5
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	13/04/17	13/04/17	05/05/17	1	1	9.4

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 11 of 14
Milperra website posted information		

Results March 2016

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	16/09/15	16/09/15	19/10/15	1	1	91
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	16/09/15	16/09/15	19/10/15	1	1	1.0
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	18/02/16	18/02/16	23/06/16	1	1	0.24

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	16/09/15	16/09/15	19/10/15	1	1	13
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	16/09/15	16/09/15	19/10/15	1	1	4.8
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	18/02/16	18/02/16	23/06/16	1	1	3.3

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 12 of 14
Milperra website posted information		

Results November 2014

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	01/10/14	01/10/14	25/11/14	1	1	100
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	01/10/14	01/10/14	25/11/14	1	1	2.8
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	12/11/14	12/11/14	12/11/14	1	1	3.4

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	01/10/14	01/10/14	25/11/14	1	1	12
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	01/10/14	01/10/14	25/11/14	1	1	8.8
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	12/11/14	12/11/14	25/11/14	1	1	2.3

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 13 of 14
Milperra website posted information		

Results November 2013

Discharge & Monitoring Point 1 (East Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligrams per cubic metre	22/10/13	22/10/13	06/11/13	1	1	130
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	22/10/13	22/10/13	06/11/13	1	1	5.8
Volatile Organic Compounds	milligrams per cubic meter	20milligrams per cubic metre	22/10/13	22/10/13	06/11/13	1	1	10

Discharge & Monitoring Point 2 (West Flue Stack)

Pollutant	Unit of measure	Pollutant Limit	Date Measured	Date data obtained	Date data published	No. of samples required by licence	No. of samples collected and analysed	Highest sample value
Nitrogen Oxides	milligrams per cubic meter	350milligram s per cubic metre	22/10/13	22/10/13	06/11/13	1	1	13
Total Solid Particles	milligrams per cubic meter	50milligrams per cubic metre	22/10/13	22/10/13	06/11/13	1	1	7.3
Volatile Organic Compounds	milligrams per cubic meter	40milligrams per cubic metre	22/10/13	22/10/13	06/11/13	1	1	11

	Management Process15S--157	
	Plant / Area: Milperra	Version: 4.3
	Version Date: 28/07/2025	Review Due: 10/04/2026
	Author: Kshitij Luitel	Approver: Sai Gollapudi
	Original ID #: 41706	Page 14 of 14
Milperra website posted information		

Location of monitored stacks on Jamestrong Packaging Milperra site

